

Rowe-Ackermann Schmidt Astrograph



Item no:91075

Read Astronomy Now Magazines Rowe-Ackermann OTA Online Review [Here](#).

Read Sky at Night Magazine Rowe-Ackermann OTA Online Review [Here](#).

Capturing impressive deep-sky astroimages is easier than ever with Celestron's new Rowe-Ackermann Schmidt Astrograph, the perfect companion to today's top DSLR or astronomical CCD cameras. This fast, wide-field f/2.2 system offers two huge advantages over traditional f/10 astroimaging: better apparent tracking and shorter exposures. That means you'll create better-looking astroimages in a fraction of the time, even without the use of an autoguider.

The Rowe-Ackermann Schmidt Astrograph builds on the legacy of Celestron's Schmidt Camera, which allowed astrophotographers to produce images on film in the 1970s.

Today, with CCD sensor sizes as large as film—or larger—the Schmidt Astrograph offers a full 70 mm optimized image circle to capture pinpoint stars on the largest imaging chips. Combine this large image circle with a focal length of just 620 mm and you have an instrument suitable for wide-field imaging, creating huge mosaics of the night sky, surveying, and even comet hunting.

Optical Performance

The Rowe-Ackermann Schmidt Astrograph features newly designed optics with 4-element rare-earth glass for images free of false color and aberrations like coma and field curvature. The optical quality and spot size across the entire image circle is unprecedented for an astrograph in this price range—or even that of a much more expensive instrument. The design also provides minimal vignetting.

Advanced Features

Advanced features like a custom engineered linear brass focuser bearing and FeatherTouch Micro Focus Knob allow you to make the fine adjustments you need to capture the perfect shot. Meanwhile, a 12V MagLev fan reduces cooldown time and provides optimal airflow through the dust filtered optical tube.

Engineered as a complete astroimaging system, every component of the Rowe-Ackermann Schmidt Astrograph is optimized for peak performance with DSLR and astronomical CCD cameras. Down to the thickness of the glass used in the included fully-

multicoated optical window or an optional imaging filter, every component of the system has been taken into careful consideration to work together seamlessly.

FEATURES

- 11-inch f/2.2 optical design with rare-earth glass for images free of false color, coma, and field curvature
- 70 mm optimized image circle maintains pinpoint stars to the far corners of even the largest astroimaging sensors
- Custom engineered linear brass focuser bearing reduces image shift, while dual-speed 10:1 FeatherTouch Micro Focus Knob provides the most precise focusing
- Quiet, high-output 12V MagLev fan reduces cooldown time and blocks dust
- Common camera adapters (T-thread and M48) included for easy attachment to popular CCD and DSLR cameras

SPECIFICATIONS

OPTICAL DESIGN: Rowe-Ackermann Schmidt

APERTURE:: 279 mm

FOCAL LENGTH: 620 mm

FOCAL RATIO: 2.22

BACKFOCUS FROM FRONT LENS ASSEMBLY: 69.26 mm

BACKFOCUS FROM INCLUDED CAMERA ADAPTORS: 55 mm

CENTRAL OBSTRUCTION DIAMETER: 114 mm

FINDERSCOPE: Not included

LIGHT GATHERING POWER (COMPARED TO HUMAN EYE): 1588x

OPTICAL COATINGS: StarBright XLT

TOTAL TELESCOPE KIT WEIGHT: 35 lbs

INCLUDED ITEMS: 11-inch optical tube assembly, 42 mm T-thread camera adapter, 48 mm camera adapter

RESOLUTION (RAYLEIGH): 0.5 arc seconds

RESOLUTION (DAWES): 0.41 arc seconds

OPTICAL TUBE LENGTH: 33 in

To discover more and to find your local Celestron dealer please visit our [Dealer Page](#)



Recommended Accessories



Light Pollution Imaging Filter,
Rowe Ackermann Astrograph
£0.00